
SPLASH
EGYPT
Quality Without Distance.



Export@Splash-Egypt.com | www.splash-egypt.com | +201022290100

TABLE OF CONTENTS

ABOUT THE COMPANY 02
QUALITY ASSURANCE 04
WHY WORK WITH US 05
FILTRATION SYSTEMS 07
POOL LADDERS 13
POOL ACCESSORIES & FITTINGS 17
POOL CLEANING EQUIPMENT 31
UNDERWATER LIGHTING 43
SPARE PARTS 45



WHO **WE ARE**

Splash Egypt is a leading Egyptian company specializing in the trading and manufacturing of swimming pool equipment, accessories, and water feature solutions.

Established in **2010**, our journey began with trading operations in the Egyptian market. In **2019**, we expanded into manufacturing, marking a significant milestone in our growth and industrial development. Building on this foundation, we launched our export operations in **2024**, extending our presence into international markets.

Through our manufacturing brand, **MPT – Misr Pool Technology,** we develop and manufacture an expanding range of swimming pool equipment and accessories, combining industry experience, technical expertise, and continuous product innovation to deliver reliable performance, durability, and consistent quality.

With **Splash Egypt** as our corporate and industrial foundation and MPT as our dedicated manufacturing brand, we are committed to delivering high-quality products, competitive solutions, and long-term value to our partners across local and international markets.

Our vision goes beyond supplying products — we strive to build lasting partnerships based on quality, reliability, and mutual growth.

OUR **VISION**

To build MPT into a trusted international Egyptian brand for swimming pool equipment, recognized for quality, reliability, and continuous innovation.

OUR **MISSION**

To develop and manufacture reliable swimming pool equipment and accessories through careful material selection, controlled production processes, rigorous product testing, and continuous improvement, while providing our partners with consistent quality, technical support, competitive value, and dependable supply.

MANUFACTURING, ENGINEERING & PRODUCT DEVELOPMENT

At **Splash Egypt,** we combine manufacturing expertise with continuous product development to produce reliable MPT swimming pool equipment and accessories.

Our approach focuses on careful material selection, controlled production, product testing, and continuous improvement to enhance performance, durability, and consistency.
By combining practical manufacturing experience with ongoing technical development, we continue to improve our products and expand the MPT range to meet the needs of professional and international markets.



QUALITY ASSURANCE & CERTIFICATIONS

At **Splash Egypt,** quality control is integrated into every stage of our manufacturing process, from material selection to final product evaluation.

MPT products undergo quality and operational testing under simulated working conditions to verify performance, safety, and reliability before release. Our management systems are certified according to **ISO 9001, ISO 14001, and ISO 45001,** reflecting our commitment to consistent quality, environmental responsibility, and occupational health and safety.

Quality at every stage. Reliability in every product.


CERTIFICATE

TÜV AUSTRIA

Management System as per
EN ISO 9001 : 2015

CIPU SPLASH EGYPT
No 55 Industrial Zone, Al Sherouk City
CAIRO, EGYPT

TRADING AND MANUFACTURING OF SWIMMING POOLS & WATER FEATURE EQUIPMENT AND ACCESSORIES.

ISO 9001 : 2015
Quality Management
System Certification


CERTIFICATE

TÜV AUSTRIA

Management System as per
EN ISO 14001 : 2015

CIPU SPLASH EGYPT
No 55 Industrial Zone, Al Sherouk City
CAIRO, EGYPT

TRADING AND MANUFACTURING OF SWIMMING POOLS & WATER FEATURE EQUIPMENT AND ACCESSORIES.

ISO 14001
Occupational Health and Safety
Management System Certification


CERTIFICATE

TÜV AUSTRIA

Management System as per
ISO 45001 : 2018

CIPU SPLASH EGYPT
No 55 Industrial Zone, Al Sherouk City
CAIRO, EGYPT

TRADING AND MANUFACTURING OF SWIMMING POOLS & WATER FEATURE EQUIPMENT AND ACCESSORIES.

ISO 45001
Environmental Protection
System Certification

WHY **WORK WITH US**

Your Strategic Manufacturing & Supply Partner in Egypt

01 | Factory-Direct Competitive Pricing
Competitive manufacturer-direct prices, consistent quality, and greater control over production and delivery lead times.

02 | Strategic Logistics Advantage
Egypt's strategic location connecting Africa, Europe, and the Middle East provides convenient access to major international shipping routes, offering competitive freight solutions and potentially shorter transit times to key regional markets.

03 | International Trade Agreement Benefits
Benefit from Egypt's extensive network of international trade agreements, including GAFTA, COMESA, AfCFTA, the Egypt–EU Association Agreement, and the Agadir Agreement, offering opportunities for reduced or eliminated customs duties on eligible products.

04 | Reliable Supply & Efficient Delivery
Dependable production capacity, flexible order handling, and efficient export coordination to support consistent supply and timely deliveries.

05 | Quality Assurance & Product Warranty
Quality-focused manufacturing, rigorous product testing, continuous improvement, and dependable product warranties backed by after-sales support.

06 | Responsive Technical Support & Long-Term Partnership
Dedicated technical assistance, responsive communication, and a commitment to building sustainable, mutually beneficial partnerships with distributors and industry professionals worldwide.

07 | OEM Manufacturing & Private Label Solutions


Flexible OEM manufacturing solutions tailored to your business needs, including product customization, private labeling, and branding options. Leverage our manufacturing capabilities to develop and expand your product portfolio under your own brand, supported by consistent quality, competitive pricing, and reliable production.

Egyptian Manufacturing. Global Opportunities. Trusted Partnerships.

EXPORT MAP

Growing from **Egypt** into regional and international markets.

- Morocco
- Senegal
- Tunisia
- Algeria
- Libya
- Sudan
- Saudi Arabia
- Iraq
- Syria
- Jordan
- UAE
- Oman
- Lebanon
- Kuwait
- Qatar





1 FILTRATION SYSTEM

1.1 Sand filter

Code	Description
FSFSTDA16	Sand Filter 16”
FSFSTDA19	Sand Filter 19”
FSFSTDA24	Sand Filter 24”

1.2 Filtration Unit

Code	Description
FCFSTDA00	Filtration Unit Complete with Pump
FCFWOPA00	Filtration Unit Complete without Pump

TOP-MOUNT SAND FILTER

Reliable Filtration. Built for Long-Term Performance.

The Top-Mount Sand Filter is designed to provide reliable and consistent filtration for swimming pool applications. Its corrosion-resistant polymeric tank and optimized internal water distribution system support efficient flow through the sand media, while the self-cleaning laterals are intended to improve filtration, backwashing, and ease of maintenance.



KEY FEATURES

- Corrosion-resistant polymeric construction
- High-efficiency internal flow design
- Self-cleaning laterals
- Top-mounted multiport valve
- Optimized water distribution across the sand media
- Manual air relief system
- Easy servicing and maintenance
- Available in 16", 19" and 24" sizes


TECHNICAL **SPECIFICATIONS**

Specification	16"
Diameter	16"
Designed Flow Rate	7.9 m^3/h
Filter Area	0.12 m^2
Sand Media	45 kg
Max. Operating Pressure	50 PSI / 3.5 bar
Mounting	Top
Valve Configuration	6-Way 1½" Valve
Product Weight	6 Kg



16" TOP-MOUNT SAND FILTER — MODEL 30L (Ø409 mm)

16" TOP-MOUNT SAND FILTER — MODEL 30L (Ø409 mm)
Total H: 820.5 mm | Tank OD: Ø409.2 mm | OFC: 48.6 L ± 2L | Empty: 3.9 kg




TECHNICAL **SPECIFICATIONS**

Specification	19"
Diameter	19"
Designed Flow Rate	9.5 m^3/h
Filter Area	0.20 m^2
Sand Media	80 kg
Max. Operating Pressure	50 PSI / 3.5 bar
Mounting	Top
Valve Configuration	6-Way 1½" Valve
Product Weight	10 Kg



19" TOP-MOUNT SAND FILTER — MODEL 50L (Ø487 mm)
Total H: 925.2 mm | Tank OD: Ø487.0 mm | OFC: 74.76 L ± 3L | Empty: 6.6 kg



19" TOP-MOUNT SAND FILTER — MODEL 50L (Ø487 mm)


TECHNICAL **SPECIFICATIONS**

Specification	24"
Diameter	24"
Designed Flow Rate	14.1 m^3/h
Filter Area	0.29 m^2
Sand Media	136 kg
Max. Operating Pressure	50 PSI / 3.5 bar
Mounting	Top
Valve Configuration	6-Way 1½" Valve
Product Weight	15 Kg



24" TOP-MOUNT SAND FILTER — MODEL 100L (Ø596 mm)

24" TOP-MOUNT SAND FILTER — MODEL 100L (Ø596 mm)
Total H: 1092.2 mm | Tank OD: Ø596.0 mm | OFC: 158.0 L ± 5L | Empty: 11.6 kg



COMPACT **FILTRATION UNIT**

Compact Filtration. Integrated Performance.

The Compact Filtration Unit from **Splash Egypt** is an integrated wall-mounted filtration solution designed for swimming pools and spas. Manufactured from durable chemical- and UV-resistant polyethylene, the unit combines a compact design with efficient filtration and a pump as standard, providing a practical solution for water circulation and filtration while minimizing the need for a conventional filtration room.


KEY FEATURES


- Complete with 0.5 HP to 1.8 HP pump
- Chemical- and UV-resistant polyethylene body
- Compact wall-mounted design
- High-efficiency 6-micron polyester filtration
- Designed for swimming pools and spas
- Integrated, space-saving filtration solution
- Configurable with additional pool components



TECHNICAL **SPECIFICATIONS**

Specification	Data
Product	Compact Filtration Unit
Body Material	Polyethylene
Material Properties	Chemical & UV Resistant
Installation	Wall Mounted
Dimensions	718 × 1121 × 1220 mm
Pump Power	0.5 HP to 1.8 HP
Filter Type	Polyester Filtration Bag
Filter Material	100% Polyester
Filtration Precision	6 Micron
Filter Fabric Weight	450 g/m²
Filter Thickness	2 mm
Filtration Unit Body	Standard
Pump	Optional
Polyester Filter	Standard
Valve / Internal Plumbing	Standard
Underwater Light	Optional
Skimmer / White Goods	Optional
Handrails	Optional
Turbo Jet	Standard







2 Ladders

2.1 Standard

Code	Description
FLDS04S02	Standard Ladder 2 Step S304L
FLDS04S03	Standard Ladder 3 Step S304L
FLDS04S04	Standard Ladder 4 Step S304L
FLDS04S05	Standard Ladder 5 Step S304L
FLDS16S02	Standard Ladder 2 Step S316L
FLDS16S03	Standard Ladder 3 Step S316L
FLDS16S04	Standard Ladder 4 Step S316L
FLDS16S05	Standard Ladder 5 Step S316L

2.2 Overflow

Code	Description
FLD004S02	Overflow Ladder 2 Step S304L
FLD004S03	Overflow Ladder 3 Step S304L
FLD004S04	Overflow Ladder 4 Step S304L
FLD004S05	Overflow Ladder 5 Step S304L
FLD016S02	Overflow Ladder 2 Step S316L
FLD016S03	Overflow Ladder 3 Step S316L
FLD016S04	Overflow Ladder 4 Step S316L
FLD016S05	Overflow Ladder 5 Step S316L

2.3 Mixed

Code	Description
FLDM04S02	Mixed Ladder 2 Step S304L
FLDM04S03	Mixed Ladder 3 Step S304L
FLDM04S04	Mixed Ladder 4 Step S304L
FLDM04S05	Mixed Ladder 5 Step S304L
FLDM16S02	Mixed Ladder 2 Step S316L
FLDM16S03	Mixed Ladder 3 Step S316L
FLDM16S04	Mixed Ladder 4 Step S316L
FLDM16S05	Mixed Ladder 5 Step S316L

STAINLESS STEEL **POOL LADDERS**

Safe Access. Flexible Design.

The Stainless Steel Pool Ladder range, manufactured by Splash Egypt, is designed to provide safe, durable, and reliable access for swimming pools. Available in Standard, Overflow, and Mixed designs, MPT ladders are manufactured from high-quality SS 304L or SS 316L stainless steel and are available with 2, 3, 4, or 5 treads to suit different pool configurations.



KEY FEATURES

- Available in Standard, Overflow & Mixed models
- Manufactured from SS 304L or SS 316L
- Available with 2, 3, 4 or 5 treads
- Polished stainless-steel construction
- Anti-slip tread surface
- Durable and corrosion-resistant construction
- Designed for safe pool entry and exit
- Supplied with mounting accessories


TECHNICAL **SPECIFICATIONS**

Specification	Data
Product Type	Stainless Steel Pool Ladder
Models	Standard / Overflow / Mixed
Stainless Steel Grade	SS 304L / SS 316L
Number of Treads	2 / 3 / 4 / 5
Handrail Pipe Diameter	Ø42 mm
Pipe Wall Thickness	1.25 mm ± 0.05 mm
Tread Width	500 mm
Tread Surface	Anti-Slip
Accessories Material	ABS / PVC
Finish	Mirror / Polished Finish










TECHNICAL **SPECIFICATIONS**

A mm (in)	B mm (in)	C mm (in)	D mm (in)	E mm (in)	F mm (in)	G mm (in)
492(19.37")	1580(62.2")	360(14.17")	700(27.6")	180(7.08")	210(8.27")	250(9.84")
492(19.37")	1570(61.8")	686(27")	788(31")	180(7.08")	210(8.27")	250(9.84")
492(19.37")	1580(62.2")	533(21")	709(27.9")	180(7.08")	210(8.27")	250(9.84")

ANTI-SLIP **LADDER TREAD**

Designed for secure and comfortable pool access, MPT ladder treads feature a durable stainless-steel structure with an anti-slip surface for enhanced safety.



TECHNICAL **SPECIFICATIONS**

Specification	Data
Material	SS 304L / SS 316L
Width	500 mm
Surface	Anti-Slip
Anti-Slip Pads	High-quality plastic
Custom Colors	Available for commercial orders











3 Pool Accessories & Fittings

3.1 Skimmers

Code	Description
FSKST0A15	Standard Skimmer 1.5"
FSKSTLA15	Skimmer Liner Standard 1.5"
FSKLM0A15	Skimmer Long Mouth
FSKLMLA15	Skimmer Long Mouth Liner
FSKWM0A15	Skimmer Wide Mouth

3.2 Check Valve

Code	Description
FCVSTDP15	Check Valve 1.5"
FCVSTDP20	Check Valve 2"

3.3 Drains

Code	Description
FCDSTDA00	Circle Drain
FSDSTDA09	Square Drain 9"

3.4 Grating

Code	Description
FGRSTDA19	Grating 22mm 19.5cm
FGRSTDA24	Grating 22mm 24.5cm
FGRPRMA19	Grating 22mm 19.5cm - Premium
FGRPRMA24	Grating 22mm 24.5cm - Premium

3.5 Jet

Code	Description
FMJSTDP15	Massage Pool Jet 1"

3.6 Other Accessories & Fittings

Code	Description
TJBSTDA00	Underwater Light Junction Box
TRISTDA00	Directional Return Inlet Fitting

POOL SKIMMERS

Efficient Surface Cleaning. Multiple Configurations

The Pool Skimmer range, manufactured by Splash Egypt, is designed for efficient surface-water collection and debris removal across different swimming pool configurations. Manufactured from durable plastic materials, skimmers combine reliable water flow, practical installation, and easy maintenance, with multiple throat and pool-finish configurations available to suit different project requirements.




TECHNICAL **SPECIFICATIONS**

Specification	Data
Product Type	Swimming Pool Skimmer
Main Material	UV-Resistant ABS Plastic
Suction Port	1½" Female Threaded
External Suction Connection	Ø63 mm Slip
Secondary Port	Ø50 mm Female Slip
Overflow Drainage	Ø40 mm Female Slip
Skimming System	Floating Weir / Buoy Float
Suction Regulator	Included
Basket Locking Mechanism	Available
Installation	Pool Wall
Color	White as standard – Customized if required




1. **STANDARD** SKIMMER ***1.5"***


Designed for conventional concrete swimming pools, the Standard Skimmer provides efficient surface-water collection through a compact and practical configuration.




Key Features

- Standard throat configuration
- 1½" female threaded suction connection
- Ø63 mm external slip connection
- Ø50 mm secondary connection
- Ø40 mm overflow drainage
- Floating weir
- Suction regulator
- Removable debris basket








2. **STANDARD** LINER SKIMMER 1.5"


Designed specifically for liner swimming pools, this model combines the standard skimmer configuration with the components required for secure installation through the pool liner.




Key Features

- Standard throat
- 1½" suction connection
- Flange system
- Liner installation configuration
- Gaskets
- Stainless-steel fixing screws
- Front faceplate









3. LONG MOUTH SKIMMER


Designed with an extended throat to accommodate pool-wall configurations requiring additional distance between the skimmer body and the pool face.




Key Features

- ABS plastic
- Suction regulator
- Floating weir
- 1½" female threaded suction port
- Ø50 mm secondary port
- Ø40 mm overflow drainage









4. LONG MOUTH LINER SKIMMER


Combines the extended-throat configuration with a liner-compatible installation system, providing a dedicated solution for liner pools with greater wall or deck installation depth.




Key Features

- Suction regulator
- Floating weir
- Liner installation configuration
- Flange system
- Gaskets
- Stainless-steel fixing screws
- Front faceplate








5. WIDE MOUTH SKIMMER


Designed with an enlarged front opening to provide a wider surface-water intake area while maintaining the reliable internal configuration of the MPT skimmer range.




Key Features

- Wide-mouth opening
- Floating weir
- Suction regulator
- 1½" female threaded suction port
- Ø50 mm secondary connection
- Ø40 mm overflow drainage







CHECK VALVE

Reliable Backflow Protection. Clear Flow Monitoring.

The Check Valve, manufactured by Splash Egypt, is designed to maintain one-way water flow within swimming pool circulation systems, helping protect pumps and system components from reverse flow. Its transparent UV-resistant body allows easy visual inspection of water movement, while the corrosion-resistant internal components provide reliable performance in demanding pool environments. Available in 50 mm and 63 mm configurations.





KEY FEATURES


- Prevents reverse water flow
- Helps protect pump impellers
- Helps maintain system pressure
- Transparent body for visual flow inspection
- UV-resistant construction
- Corrosion-resistant internal spring
- Easy installation and maintenance
- Suitable for swimming pool and spa circulation systems
- Available in 50 mm and 63 mm


TECHNICAL SPECIFICATIONS

Specification	50 mm Model /63 mm
Product Type	Check Valve
Main Body	Clear Polycarbonate (PC)
Body Property	UV Resistant
White Fittings / Parts	ABS + White UPVC
Spring Material	SS 316
Spring Property	Corrosion Resistant
Installation	Inline
Application	Pool / Spa Circulation
Flow Direction	One-way
Color	Clear / White









MAIN DRAINS

Efficient Water Collection. Reliable Pool Drainage.

The Main Drain range, manufactured by Splash Egypt, is designed for efficient water collection from swimming pools and spas, supporting proper circulation and drainage performance. Manufactured from durable ABS plastic, the range is available in Circular and Square configurations to suit different pool designs and installation requirements.



AVAILABLE MODELS

- Square Main Drain
- Circular Main Drain




COMMON KEY FEATURES


- Durable ABS plastic construction
- Designed for swimming pool water collection
- Suitable for pool and spa applications
- Pool-floor installation
- Available in circular and square configurations

TECHNICAL SPECIFICATIONS

Specification	Data
Type	Circular Main Drain
Material	ABS Plastic
Diameter	Ø186-242 mm
Installation	Pool Floor



Specification	Data
Type	Square Main Drain
Material	ABS Plastic
Dimensions	9" × 9" (23 × 23 cm)
Installation	Pool Floor




OVERFLOW POOL GRATING

Safe Poolside Drainage. Built for Lasting Performance.

The Overflow Pool Grating, manufactured by Splash Egypt, is designed for overflow pools, wet decks, spas, and water features, providing a durable and practical solution for water drainage around pool areas. Manufactured from UV-stabilized polypropylene (PP), grating combines chemical resistance, dimensional stability, anti-slip performance, and a modular interlocking design for easy installation and maintenance.





AVAILABLE MODELS

- Standard Pool Grating
- Premium Pool Grating

COMMON KEY FEATURES


- UV-stabilized polypropylene construction
- Resistant to chlorine, pool chemicals, and outdoor weather conditions
- Anti-slip textured surface
- Designed for barefoot poolside areas
- Modular interlocking installation
- Suitable for residential and commercial applications
- Standard colors: White & Black
- Custom colors available for projects
- 42 pieces per meter
- Applications: Overflow pools, wet decks, spas, and water features








TECHNICAL SPECIFICATIONS

Specification	Data
Material	UV-Stabilized Polypropylene (PP)
Profile Height	22 mm
Available Widths	195 / 245 / 295 mm
UV Stabilizer	Included
Pieces per Meter	42 pcs/m
Surface Finish	Anti-Slip Textured Finish
Installation	Modular Interlocking System
Standard Colors	White / Black
Custom Colors	Available for projects
Applications	Overflow Pools / Wet Decks / Spas / Water Features
Standard Compliance	DIN 51097 - Class C










POOL & SPA MASSAGE JET

Targeted Water Flow. Reliable Spa Performance.


The Pool & Spa Massage Jet, manufactured by Splash Egypt, is designed for swimming pools, spas, and Jacuzzis to provide a focused and comfortable water-jet experience. Manufactured from durable ABS/PVC materials, the jet incorporates separate water and air connections and is designed for reliable operation in demanding pool environments.



KEY FEATURES

- Designed for pools, spas, and Jacuzzis
- Durable ABS/PVC construction
- UV-resistant plastic materials
- Dedicated water and air connections
- Recommended flow: 1.5 m^3/h
- Ergonomic outlet design
- Adjustable jet pressure / flow experience





UNDERWATER LIGHT JUNCTION BOX

Designed for safe deck-level electrical connections.

Specification	Data
Material	High-Impact White ABS
Resistance	UV & Chemical Resistant
Cover	Anti-Slip Textured Square Cover
Sealing	Integrated O-Ring
Connections	2 Threaded Side / Bottom Ports
Cable Protection	Waterproof Cable Gland(s)
Installation	Conduit Connection / Daisy-Chaining
Application	Underwater Pool Lighting Systems





DIRECTIONAL RETURN INLET FITTING

Designed for controlled pool-water return and improved circulation.

Specification	Data
Material	High-Impact White ABS
Resistance	UV & Chemical Resistant
Nozzle	Fully Adjustable Directional Eyeball
Installation	Threaded Body with Locknut & Dual Sealing Gaskets
Locknut	Heavy-Duty Black Locknut
Pool Compatibility	Liner / Fiberglass / Concrete Pools
Connection	External Male Thread - 2" / 1.5"
Application	Pool Water Return & Circulation







4 Cleaning Tools

4.1 Hose

Code	Description
FHSST0A03	Pool Vacuum Hose 3M Shrink
FHSST0A05	Pool Vacuum Hose 5M Shrink
FHSST0A07	Pool Vacuum Hose 7M Shrink
FHSST0A10	Pool Vacuum Hose 10M Shrink
FHSST0A12	Pool Vacuum Hose 12M Shrink
FHSST0A15	Pool Vacuum Hose 15M Shrink
FHSST0A20	Pool Vacuum Hose 20M Shrink
FHSST0A25	Pool Vacuum Hose 25M Shrink
FHSST0A30	Pool Vacuum Hose 30M Shrink

4.2 Telescopic Handle

Code	Description
FTSS01U03	Telescopic Handles Pool 3M
FTSS01U05	Telescopic Handles Pool 5M
FTSS03U05	Telescopic Handles Pool 5M (3 Stage)
FTSS03U07	Telescopic Handles Pool 7M
FTSS03U09	Telescopic Handles Pool 9M
FTSS03U12	Telescopic Handles Pool 12M

4.3 Aluminum Vacuum Head

Code	Description
FVHSTDU35	Aluminum Vacuum Head 35 cm
FVHSTDU45	Aluminum Vacuum Head 45 cm
FVHSTDU80	Aluminum Vacuum Head 80 cm

4.4 Plastic Vacuum 8 Wheels

Code	Description
FVHSTDP08	Plastic Vacuum 8 Wheels
FVHSTBP08	Plastic Vacuum 8 Wheels With Brushes

4.5 Leaf Rake

Code	Description
FLRSTBP00	Plastic Deep Leaf Rake
FLRSTDP00	Plastic Leaf Rake

4.6 Test Kit

Code	Description
FTKSTDP00	Test Kit

4.7 Brush

Code	Description
FPBSTDP45	Plastic Pool Brush - 45 cm

VACUUM SPIRAL HOSE


Flexible. Durable. Built for Professional Pool Cleaning.

The Vacuum Spiral Hose, manufactured by Splash Egypt, is designed for swimming pool cleaning and water-handling applications, combining flexibility, pressure resistance, and reliable performance. Its spiral construction helps resist kinking, crushing, and collapsing under vacuum, while the floating hose design provides easy handling during pool maintenance. The hose is resistant to UV exposure, chlorinated water, abrasion, and demanding outdoor conditions.




KEY FEATURES

- Spiral construction for improved kink and collapse resistance
- Floating hose design
- Resistant to chlorinated water and UV exposure
- Flexible and pressure-resistant
- Abrasion and tear resistant
- 360° swivel cuff helps prevent hose twisting
- Fixed cuff at the opposite end
- Suitable for pool vacuum cleaning
- Suitable for connection to sand or cartridge filtration systems
- Suitable for professional and residential pool maintenance



TECHNICAL SPECIFICATIONS

Specification	Data
Product Type	Vacuum Spiral Hose
Inner Diameter	38 mm ± 0.5 mm
Outer Diameter	47.2 mm / 48 mm ± 0.5 mm
Main Material	PE-based construction
Material Formula	PE + EVA / additives
Hose Structure	Spiral
No. of Layers	2 Layers
Buoyancy	Floating / Neutral Buoyancy
End 1	360° Swivel Cuff
End 2	Fixed Cuff
Standard Colors	Light Blue / Black
Standard Lengths	3 / 5 / 7 / 10 / 12 / 15 / 20 / 25 / 30 m
Custom Length	Available
Custom Colors	Available for special orders
Packaging	Plastic Vacuum Pack / Carton





ALUMINUM TELESCOPIC HANDLE

Extended Reach. Lightweight Control.

The Aluminum Telescopic Handle, manufactured by Splash Egypt, is designed for efficient swimming pool cleaning across different pool sizes and configurations. Manufactured from anodized aluminum, its lightweight telescopic construction provides extended reach, easy handling, and reliable connection with compatible pool-cleaning accessories. Available in 3 m, 5 m, 7 m, 9 m, and 12 m lengths.




KEY FEATURES


- High-quality anodized aluminum construction
- Lightweight and durable design
- Telescopic multi-section structure
- Extended reach for large and deep pools
- Comfortable handling during cleaning
- Strong accessory connection
- Connection via clip or butterfly nut
- Suitable for different pool-cleaning accessories
- Available in 3 / 5 / 7 / 9 / 12 m

TECHNICAL SPECIFICATIONS

Specification	Data
Product Type	Telescopic Handle
Material	Anodized Aluminum
Maximum Outer Diameter	32 mm
Section Diameters	32 / 28 / 25 mm
Connection	Clip or Butterfly Nut
Inner Lock Color	Light Blue
Available Lengths	3 / 5 / 7 / 9 / 12 m
Pool Application	All Pool Types
5 m Weight	1.35 kg
7 m Weight	1.80 kg
9 m Weight	2.30 kg
12 m Weight	3.65 kg
Wall Thickness	1.1 mm
Stages	3 Stages available for any Length



NESTED CONCENTRIC PROFILE
Ø32.0 > Ø28.0 > Ø25.0 mm



ALUMINUM VACUUM HEAD


Heavy-Duty Construction. Smooth & Efficient Cleaning.

The Aluminum Vacuum Head, manufactured by Splash Egypt, is designed for efficient cleaning of concrete swimming pools, combining durable aluminum construction with smooth movement and optimized suction performance. Its balanced flat-base design, central suction connection, and heavy-duty wheel system provide stable operation and effective debris removal for residential and commercial pool applications.




KEY FEATURES


- Heavy-duty aluminum construction
- Designed for concrete swimming pools
- 4-wheel system for smooth movement
- Central suction port for efficient debris removal
- Flat-base design for uniform suction
- Reinforced triangular handle for improved control
- High resistance to corrosion and pool chemicals
- Pool-safe edges to help prevent surface damage
- Balanced weight distribution for stable operation
- Compatible with standard telescopic pool handles
- Standard 1.5" / 38 mm vacuum hose connection
- Available in 35 cm / 45 cm / 80 cm sizes





TECHNICAL SPECIFICATIONS

Specification	Data
Product Type	Aluminum Vacuum Head
Material	Aluminum
Material Finish	Anodized Aluminum
Pool Type	Concrete Pools
Application	Residential & Commercial Pools
Available Sizes	35 cm / 45 cm / 80 cm
Wheel System	4 Heavy-Duty Side Wheels
Suction Port	Central Vertical Connection
Hose Connection	1.5" / 38 mm
Pole Connection	Universal Clip System
Base Structure	Flat Base for Uniform Suction










8-WHEEL FLEXIBLE VACUUM HEAD


Maximum Contact. Smooth Control. Efficient Cleaning.

The 8-Wheel Flexible Vacuum Head, manufactured by Splash Egypt, is designed for efficient manual cleaning of both concrete and liner swimming pools. Its flexible weighted body adapts to pool-floor contours while maintaining consistent surface contact for effective suction. The 8-wheel glide system provides smooth movement and stability, while the UV-resistant polyethylene construction is designed for reliable use in swimming pool environments.




KEY FEATURES


- Flexible body adapts to curves and uneven pool surfaces
- 8-wheel system for smooth movement and improved maneuverability
- Integrated weight system for consistent floor contact
- Wide 35 cm cleaning coverage
- UV-resistant construction
- Suitable for concrete and liner pools
- Liner-safe design
- Balanced 2.5 kg operating weight
- Standard 1.5" / 38 mm vacuum hose connection
- Designed for manual pool cleaning
- Stainless-steel wheel fixing screws




TECHNICAL SPECIFICATIONS

Specification	Data
Product Type	8-Wheel Flex Vacuum Head
Type	Manual Flexible Vacuum Head
Body Material	Flexible Polyethylene
Material Property	UV Resistant
Number of Wheels	8
Wheel Fixing Screws	SS 304
Width	35 cm
Total Weight	2.5 kg
Pool Compatibility	Concrete & Liner Pools
Hose Connection	1.5" / 38 mm
Flexible Body	Yes
Integrated Weight System	Yes
Side Brushes	Available with or without Side Brushes







POOL LEAF RAKES

Efficient Debris Collection. Lightweight Pool Cleaning.

The Pool Leaf Rake range, manufactured by Splash Egypt, is designed for quick and efficient removal of leaves and floating debris from swimming pools. Designed for both liner and concrete pools, the range combines durable frames with practical net configurations for routine surface cleaning and deeper debris collection.



AVAILABLE MODELS

- Surface Leaf Rake - Plastic Handle
- Deep Leaf Rake - Plastic Handle

KEY FEATURES

- Suitable for liner and concrete pools
- Designed for leaves and floating debris removal
- Lightweight and easy to maneuver
- Compatible with pool cleaning poles / telescopic handles
- Durable plastic frame
- Standard and deep-net configurations
- Plastic or aluminum handle configurations
- Designed for regular residential and professional pool maintenance.



CHLORINE & PH TEST KIT

Simple Water Testing. Reliable Pool Maintenance.

The Chlorine & pH Test Kit is designed for routine monitoring of swimming pool and spa water, providing a practical solution for checking chlorine and pH levels as part of regular water-quality maintenance. Suitable for swimming pools, spas, Jacuzzis, fountains, and artificial lakes, the kit is designed for convenient day-to-day water testing.



KEY FEATURES

- Tests chlorine and pH
- Designed for routine pool-water monitoring
- Suitable for swimming pools and spas
- Suitable for Jacuzzis, fountains, and artificial lakes
- Compact manual test-kit format
- Designed for regular hygiene and maintenance use



TECHNICAL SPECIFICATIONS

Specification	Data
Product Type	Pool Water Test Kit
Parameters	Chlorine & pH
Reagent Volume	20 ml
Test Method	Manual / Visual

PLASTIC POOL BRUSH - 45 CM


Lightweight Cleaning. Safe for All Pool Surfaces.

The Plastic Pool Brush 45 cm, manufactured by Splash Egypt, is designed for routine cleaning of swimming pool walls and floors. Featuring a durable plastic handle and plastic bristles, the brush provides effective surface cleaning while remaining suitable for both liner and concrete pools. Its 45 cm (18") cleaning width allows practical coverage during regular pool maintenance.



KEY FEATURES

- Durable plastic handle
- Plastic cleaning bristles
- 45 cm / 18" cleaning width
- Suitable for liner and concrete pools
- Designed for pool wall and floor cleaning
- Lightweight construction for easy handling
- Suitable for routine residential and professional pool maintenance
- Compatible with pool-cleaning / telescopic handles



SWIMMING POOL LANE ROPE

Stable Lane Separation. Durable Pool Performance.

The Swimming Pool Lane Rope is designed to separate swimming lanes, reduce wave interference, and provide stable lane definition for swimming pools. Manufactured from durable, UV- and chemical-resistant polypropylene with a corrosion-resistant stainless-steel tensioning system.



AVAILABLE MODELS

- Beijing Lane Rope 4"
- Beijing Lane Rope 6"
- Barcelona Lane Rope 4"

TECHNICAL SPECIFICATIONS

Specification	Data
Disc Material	High-Quality Polypropylene (PP)
Material Resistance	UV / Chlorine / Chemical / Water Resistant
Internal Wire	SS 304
Wire Diameter	4 mm
Tensioning System	Stainless-Steel Tensioner on Both Ends
Available Lengths	12.5 m / 25 m / 50 m
Available Colors	White / Red / Blue / Yellow / Green
Application	Swimming Lane Separation
Key Performance	Reduced Wave Interference / High Stability / Long Service Life



5 Underwater Equipment

Code	Description
FLVRGBA24	Luminwave D RGB - 24W
FLVSTDA24	Luminwave D Daylight 4000 K - 24W
FLVSTWA24	Luminwave D White 6000 K - 24W
FLVSTYA24	Luminwave D Warm 2700 K - 24W
FLVSTBA24	Luminwave D Blue 4000 K - 24W

LUMINWAVE UNDERWATER LED LIGHT

Powerful Illumination. Built for Underwater Performance.


Luminwave Underwater LED Light, manufactured by Splash Egypt, is designed for reliable and energy-efficient swimming pool illumination. Featuring a durable ABS frame, polycarbonate light body, aluminum cooling system, and SMD LED technology, Luminwave provides wide and uniform underwater illumination through a slim, wall-mounted design. It operates at 12V AC / 24W, features a 120° beam angle, and carries an IP68 waterproof rating for submerged pool applications.



AVAILABLE LIGHTING OPTIONS


- Warm - 2700K
- Warm White - 4000K
- Cool White / Daylight - 6500K
- Blue
- RGB - with Remote Control

How to install



TECHNICAL SPECIFICATIONS

Specification	Data
Model	Luminwave
Product Type	Underwater LED Light
Power	24 W
Input Voltage	12V AC
Frame Material	ABS
Light Body	Polycarbonate
Cooling System	Aluminum
PCB	1.2 mm MCPCB
Waterproof Rating	IP68
Beam Angle	120°
Cable	2 x 0.75 mm² Rubber Cable
Cable Length	2 m
Mounting	Wall Mounted
Fixing Screws	Corrosion-Resistant Stainless Steel
Warm CCT	2700K
Warm White CCT	4000K
Cool White / Daylight CCT	6500K
Blue	Available
RGB	R / G / B
RGB Remote Control	Available
LED Count	324 SMD LEDs
LED Chip Brand	Lumiled 0.5W 2835
Energy Efficiency Rating	A+



ALL SPARE PARTS AVAILABLE FOR SALE

SPARE PARTS FOR SKIMMERS



Skimmer Basket Lid (SBLSTDA00)



Skimmer Lid (SSLSTDA00)



Skimmer Basket (SSBSTDA00)

SPARE PARTS FOR ALUMINUM VACUUM HEAD



Vacuum Side (SVSSTDA00)



Vacuum Handle (SVHSTDA00)



Bottom Brush (SBBSTDA35) (SBBSTDA45)



Vacuum Wheel (SVWSTDA00)

ALL SPARE PARTS AVAILABLE FOR SALE

SPARE PARTS FOR LADDERS




Ladder End Cap (SECSTDA00)



Ladder Anchor (SLASTDA00)



Ladder Accessories (SLASTDS00)



Ladder Tread (FLTS04S00) (FLTS16S00)

SPARE PARTS FOR TOP-MOUNT SAND FILTER



Multi-Way Valve (SMVSTDA00)



Support Base (SFBSTDA00)



Distributor (SFDSTDA00)



www.splash-egypt.com | export@splash-egypt.com | +201022290100