POOL SKIMMERS

Efficient Surface Cleaning. Multiple Configurations

The Pool Skimmer range, manufactured by Splash Egypt, is designed for efficient surface-water collection and debris removal across different swimming pool configurations. Manufactured from durable plastic materials, skimmers combine reliable water flow, practical installation, and easy maintenance, with multiple throat and pool-finish configurations available to suit different project requirements.




TECHNICAL **SPECIFICATIONS**

Specification	Data
Product Type	Swimming Pool Skimmer
Main Material	UV-Resistant ABS Plastic
Suction Port	1½" Female Threaded
External Suction Connection	Ø63 mm Slip
Secondary Port	Ø50 mm Female Slip
Overflow Drainage	Ø40 mm Female Slip
Skimming System	Floating Weir / Buoy Float
Suction Regulator	Included
Basket Locking Mechanism	Available
Installation	Pool Wall
Color	White as standard – Customized if required




1. **STANDARD** SKIMMER ***1.5"***


Designed for conventional concrete swimming pools, the Standard Skimmer provides efficient surface-water collection through a compact and practical configuration.




Key Features

- Standard throat configuration
- 1½" female threaded suction connection
- Ø63 mm external slip connection
- Ø50 mm secondary connection
- Ø40 mm overflow drainage
- Floating weir
- Suction regulator
- Removable debris basket








2. **STANDARD** LINER SKIMMER 1.5"


Designed specifically for liner swimming pools, this model combines the standard skimmer configuration with the components required for secure installation through the pool liner.




Key Features

- Standard throat
- 1½" suction connection
- Flange system
- Liner installation configuration
- Gaskets
- Stainless-steel fixing screws
- Front faceplate









3. LONG MOUTH SKIMMER


Designed with an extended throat to accommodate pool-wall configurations requiring additional distance between the skimmer body and the pool face.




Key Features

- ABS plastic
- Suction regulator
- Floating weir
- 1½" female threaded suction port
- Ø50 mm secondary port
- Ø40 mm overflow drainage









4. LONG MOUTH LINER SKIMMER


Combines the extended-throat configuration with a liner-compatible installation system, providing a dedicated solution for liner pools with greater wall or deck installation depth.




Key Features

- Suction regulator
- Floating weir
- Liner installation configuration
- Flange system
- Gaskets
- Stainless-steel fixing screws
- Front faceplate







5. WIDE MOUTH SKIMMER

Designed with an enlarged front opening to provide a wider surface-water intake area while maintaining the reliable internal configuration of the MPT skimmer range.



Key Features

- Wide-mouth opening
- Floating weir
- Suction regulator
- 1½" female threaded suction port
- Ø50 mm secondary connection
- Ø40 mm overflow drainage

